

PRODUCT DATA SHEET

INSULATED CORD END TERMINALS GERMAN NORM



DESCRIPTION

Cable End Terminals are designed to terminate the end of a cable. Cable, screw type terminal blocks or the crimped terminal at the cable end protects the exposed ones before installing the connectors.

FEATURES

- Standard : DIN 46228
- Material : Copper, Tin Plated
- Insulation : Nylon
- Operating Temperature : Maximum From 105° to 600 Volts

MARKINGS



















- It complies with RoHS standards.
- It complies with UKAS Quality Management standards.
- It complies with CE standards.
- It complies with UL standards.

PRODUCT DATA SHEET

INSULATED CORD END TERMINALS GERMAN NORM

SECTIONS AND DIMENSIONS



PRODUCT CODE	COLOUR	CABLE SECTION (mm ²)	DIMENSIONS (mm)				
			F	L	W	B	D
IYA - 0.14	 Grey	0.14 mm ²	8.0	12.0	1.6	2.8	0.9
IYA - 0.25	 Blue	0.25 mm ²	8.0	12.0	1.9	4.4	1.1
IYA - 0.34	 Turquoise	0.34 mm ²	8.0	12.0	1.9	4.4	1.1
IYA - 0.50	 Orange	0.50 mm ²	8.0	14.0	2.6	6.0	1.3
IYA - 0.75	 White	0.75 mm ²	8.0	14.0	2.8	6.3	1.5
IYA - 1.0	 Yellow	1.00 mm ²	8.0	14.0	3.0	6.3	1.7
IYA - 1.5	 Red	1.50 mm ²	8.0	14.0	3.5	6.3	2.0
IYA - 2.5	 Blue	2.50 mm ²	8.0	14.0	4.2	7.4	2.5
IYA - 4.0	 Grey	4.00 mm ²	10.0	17.0	4.8	7.4	3.2
IYA - 6.0	 Black	6.00 mm ²	12.0	20.0	6.3	8.5	3.9
IYA - 10.0	 Beige	10.0 mm ²	12.0	22.0	7.6	8.8	4.9
IYA - 16.0	 Green	16.0 mm ²	12.0	24.0	8.8	10.0	6.2
IYA - 25.0	 Brown	25.0 mm ²	16.0	28.0	11.2	12.0	7.7
IYA - 35.0	 Beige	35.0 mm ²	16.0	30.0	12.7	14.0	8.7
IYA - 50.0	 Green	50.0 mm ²	20.0	36.0	15.0	16.0	10.9