

PRODUCT DATA SHEET

INSULATED TWIN CORD END TERMINALS GERMAN NORM



DESCRIPTION

Cable End Terminals are designed to terminate the end of a cable. Cable, screw type terminal blocks or the crimped terminal at the cable end protects the exposed ones before installing the connectors.

FEATURES

- Standard : DIN 46228
- Material : Copper, Tin Plated
- Insulation : Nylon
- Operating Temperature : Maximum From 105° to 600 Volts

MARKINGS













- It complies with RoHS standards.
- It complies with UKAS Quality Management standards.
- It complies with CE standards.
- It complies with UL standards.

PRODUCT DATA SHEET

INSULATED TWIN CORD END TERMINALS GERMAN NORM

SECTIONS AND DIMENSIONS



PRODUCT CODE	COLOUR	CABLE SECTION (mm ²)	DIMENSIONS (mm)				
			F	L	W	B	D
CYA - 0.50	 Orange	0.50 mm ²	8.0	14.0	5.0	6.5	1.8
CYA - 0.75	 White	0.75 mm ²	8.0	14.0	5.5	6.7	2.1
CYA - 1.0	 Yellow	1.00 mm ²	8.0	14.0	5.5	7.1	2.4
CYA - 1.5	 Red	1.50 mm ²	8.0	14.0	6.4	7.5	2.6
CYA - 2.5	 Blue	2.50 mm ²	10.0	14.0	8.0	8.5	3.3
CYA - 4.0	 Grey	4.00 mm ²	12.0	17.0	8.0	11.1	4.2
CYA - 6.0	 Black	6.00 mm ²	14.0	20.0	9.5	12.1	5.3
CYA - 10.0	 Beige	10.0 mm ²	14.0	27.0	12.6	12.6	6.9
CYA - 16.0	 Green	16.0 mm ²	14.0	31.0	19.0	17.3	8.7