

PRODUCT DATA SHEET

INSULATED PIN TERMINALS



DESCRIPTION

Insulated Pin Terminals funnel-shaped PVC sheath is used for crimping conductor wires. It ensures complete insertion into the barrel, creating a safe and reliable electrical and mechanical connection. The inner surface of the barrel is aimed at improving contact with the conductive strands of the cables and increasing tensile strength when crimped.

FEATURES

- | | |
|-------------------------|---------------------------------|
| - Standard | : DIN 46237 |
| - Material | : Brass, Tin Plating |
| - Insulation | : PVC |
| - Operating Temperature | : Maximum From 75° to 600 Volts |

MARKINGS




- It complies with RoHS standards.
- It complies with UKAS Quality Management standards.
- It complies with CE standards.
- It complies with UL standards.

PRODUCT DATA SHEET

INSULATED PIN TERMINALS

SECTIONS AND DIMENSIONS



PRODUCT CODE	COLOUR	CABLE SECTION (mm ²)	DIMENSIONS (mm)				
			W	F	L	E	D
GIK - 101	Red	0.50 - 1.50 mm ²	1.9	10.0	19.0	10.0	4.0
GIK - 102	Blue	1.50 - 2.50 mm ²	1.9	12.0	21.8	10.0	4.5
GIK - 106	Yellow	4.00 - 6.00 mm ²	2.8	14.0	27.0	27.0	6.4