

PRODUCT DATA SHEET

SKP ECO TYPE CABLE LUG



DESCRIPTION

A cable lug is attached to an electrical device such as a wire or cable and then securely fastened to its end using a crimp tool and crimp die.

FEATURES

- Made of copper material in accordance with EN/13600 standards.
- Annealed copper pipes are used during production.
- Copper with 99.9% conductivity is used in production.
- 100% Tin coating is made in the range of 5-8 Microns.



MARKINGS



- It complies with CE standards.
- It complies with RoHS standards.
- It complies with ISO 9001 standards.
- It complies with IEC standards.
- It complies with TSE standards.
- Domestic Production.

PRODUCT DATA SHEET

SKP ECO TYPE CABLE LUG



SECTIONS AND DIMENSIONS

PRODUCT CODE	CABLE SECTION (mm ²)	BORE DIAMETER Ø	DIMENSIONS							
			d	d1	d2	l1	a	b	c1	c2
SKP-E 16-6	16 mm²	M6	6,4	5,5	7,0	24,5	11,0	10,5	5,5	6,5
SKP-E 16-8		M8	8,3	5,5	7,0	24,5	11,0	10,5	5,5	6,5
SKP-E 25-6	25 mm²	M6	6,5	7,0	9,0	31,7	12,0	13,0	6,8	9,2
SKP-E 25-8		M8	8,3	7,0	9,0	31,7	12,0	13,0	6,8	9,2
SKP-E 35-6	35 mm²	M6	6,5	8,5	10,5	35,2	14,0	15,5	8,3	9,7
SKP-E 35-8		M8	8,3	8,5	10,5	35,2	14,0	15,5	8,3	9,7
SKP-E 50-8	50 mm²	M8	8,2	10,0	12,0	41,5	17,0	17,9	10,0	12,0
SKP-E 50-10		M10	10,3	10,0	12,0	41,5	17,0	17,9	10,0	12,0
SKP-E 70-10	70 mm²	M10	10,3	11,5	14,0	45,5	18,0	20,7	10,0	12,0
SKP-E 70-12		M12	13,0	11,5	14,0	45,5	18,0	20,7	10,0	12,0